


After Care Instructions And When to Call



**After
placing
the pills
in your
vagina at
home**

**Bleeding
and
Cramping
ARE
NORMAL**

- * Some women bleed a little**
- *Some women bleed more than a period**
- *Some clots may be as big as a lemon**



**IF YOU ARE
SOAKING more than
2 MAXIPADS per
hour
FOR MORE THAN
2 HOURS in a row
CALL US**



**IF YOU HAVE
SEVERE CRAMPS
-AND-
PAIN PILLS
do not help**

CALL US



**YOU MAY ALSO
HAVE SOME SIDE
EFFECTS:**

- *Nausea**
- *Vomiting**
- *Diarrhea**
- *Dizziness**

**IF ANY OF THESE
LAST MORE THAN
24 HOURS**

- *Vomiting**
- *Diarrhea**
- *Temperature
Higher than 100.4**

CALL US



**If you are feeling
worried and think
you need to go to
the Emergency
Room (ER)**

CALL US



**FEVER
-AND-
CHILLS
are NORMAL
On the day you
take
MISOPROSTOL**

**BUT IF YOU STILL
HAVE FEVER OR
CHILLS
24 HOURS after
taking
MISOPROSTOL
CALL US**



You can contact the on-call provider at **505-560-8899**. This is a digital pager. When you hear the beep, put in a phone number (with area code) where you can be reached, followed by the # sign. If you do not get a call back within 15 minutes, try again. Or you may also call **505-272-2111**. This is the University Hospital's main operator. Tell them you would like to speak to the **GYN Resident on-call**. The operator will then connect your call.